2	What	is claimed is:
3	1.	A method of issuing a bearer note comprising the steps of:
4		receiving from a user information including
5		a user identifier, and
6		a face value of the bearer note to be issued; and
7		transmitting to the user at least one code for use in generating the bearer
8	note.	
9		
0	2.	The method of claim 1, further comprising the step of:
<u> </u>		generating the at least one code based on the user information.
منا الميك الساء المولي الساء الميكي سناء الميكي		
13	3.	The method of claim 1, further including the step, prior to the receiving
4	step, o	of:
<u>†</u> 5		registering the user.
<u>†</u> 5 <u>†</u> 6 <u>†</u> 7		
	4.	The method of claim 3, wherein the registering step comprises the steps of:
18		receiving identifying information from the user;
19		receiving an account identifier from the user; and
20		transmitting the user identifier to the user.
21		
22	5.	The method of claim 4, wherein the bearer note is a traveler's check.
23		
24	6.	The method of claim 4, wherein the bearer note is a certified check.

CLAIMS

1

2	7.	A system for issuing a bearer note, comprising:
3		a receiver receiving, from a user, information including a user identification
4	and a	a face value of the bearer note to be issued; and
5		a transmitter transmitting, to the user, at least one code for use in
6	gene	rating the bearer note.
7		
8	8.	The system of claim & further comprising:
9		a code generator, generating the at least one code based on the received
10	infor	mation.
<u>=</u> 2	9.	The system of claim 7, further complising:
〒2 丁 丁3 マ		a voice response unit, coupled to the user by a communication network,
4 4	forw	arding information between the receiver and the user and the transmitter and
<u>†</u> 5	the u	iser.
〒5 〒6 〒7		
뎔7	10.	The system of claim 7, further comprising:
18		a modem, coupled to the user by a communication network, forwarding
19	infor	mation between the receiver and the user and the transmitter and the user.
20		
21	11.	The system of claim 7, further comprising:
22		a network adapter, coupled to the user by a communication network,
23	forw	arding information between the receiver and the user and the transmitter and
24	the u	ser.

1

1		
2	12.	The system of claim 7, further comprising:
3		a database containing information relating to registered users, comprising:
4		information identifying the user; and
5		an account identifier.
6		
7	13.	The system of claim 12, wherein the receiver further receives information
8	relati	ng to registered users, the database stores the received information and the
9	trans	mitter further transmits an identification code based on the received
10	infor	mation to the user.
31		
10 H1 H2 V3	14.	The system of claim 7, wherein the bearer note is a traveler's check.
1 3		
14	15.	The system of claim 7, wherein the bearer note is a certified check.
트 5		
변5 명6 명7	16.	A computer program storage device, comprising:
닐7		a computer readable medium embodying computer program instructions
18	for p	rinting traveler's checks, including:
19		computer program instruction means for generating user information to be
20	trans	mitted to a traveler's check issuer;
21		computer program instruction means for receiving at least one code
22	gene	rated by the traveler's check issuer, and receiving as input at least one face
23	value	e of a traveler's check;
24		computer program instruction means for causing the computer to calculate

a valid traveler's check serial number based on the code; and 1 computer program instruction means for causing the computer to generate 2 a printer output file for printing a traveler's check having the valid traveler's 3 check serial number and the face value. 4 5 The computer program storage device of claim 16, further comprising: 17. 6 computer program instruction means for transmitting the printer output file 7 to a printer. 8 9 A method of generating bearer notes, comprising the steps of: 18. receiving at least one code and at least one face value of a bearer note; calculating a valid bearer note certification number based on the code; and generating a printer output file for printing a bearer note having the valid bearer note certification number and the face value. The method of claim 18, further comprising the steps of: 19. transmitting the printer output file to a printer; and printing the traveler's check. 18 19 The method of claim 18, wherein the bearer note is a traveler's check 20. 20 21 The method of claim 20, wherein the bearer note certification number is a 21. 22 serial number of the traveler's check. 23 24

1	22.	The method of claim 18, wherein the bearer note is a certified check.
2		
3	23.	A system for generating bearer notes, comprising:
4		a receiver receiving at least one code and at least one face value of a
5	beare	r note,
6		a calculating device calculating a valid bearer note certification number
7	based	on the code, and
8		a print file generator generating a printer output file for printing a bearer
9	note l	having the valid bearer note certification number and the face value.
10 <u>-</u> -		
	24.	The system of claim 23, further comprising:
1 2		a printer port transmitting the printer output file; and
13		a printer receiving the printer output file and printing a traveler's check.
¶4		
1 5	25.	The system of claim 24, wherein the bearer note is a traveler's check.
[]7	26.	The system of claim 25, wherein the bearer note certification number is a
18	serial	number of the traveler's check.
19		
20	27.	The method of claim 24, wherein the bearer note is a certified check.
21		
22	28.	A system for generating bearer notes, comprising:
23		a processor;
24		a memory, coupled to the processor, storing program instructions

1	expcu	stable by the processor for performing the steps of:
2	. `	receiving at least one code and at least one face value of a bearer note;
3		calculating a valid bearer note certification number based on the code; and
4		generating a printer output file for printing a bearer note having the valid
5	beare	er note certification number and the face value.
6		
7	29.	The system of claim 28 further comprising:
8		a printer port transmitting the printer output file; and
9		a printer receiving the printer output file and printing a traveler's check.
10		
년 년 년 일 2	30.	The system of claim 29, wherein the bearer note is a traveler's check
<u>=</u> 2		
J 3	31.	The system of claim 30, wherein the bearer note certification number is a
4 14	serial	number of the traveler's check.
<u></u>		
급6 급7	32.	The system of claim 29, wherein the bearer note is a certified check.
<u> </u>		
18	33.	A method of accepting a traveler's check, comprising the steps of:
19		receiving a traveler's check from a user;
20		communicating a serial number and a face value of the traveler's check to
21	a ver	ifier of the traveler's check; and
22		receiving an authorization to accept the traveler's check from the verifier.
23		
24	34.	The method of claim 33, further comprising the step of:

1		depositing the traveler's check for payment.
2		
3	35.	A system for accepting a traveler's check, comprising:
4		a transmitter transmitting a serial number and a face value of the traveler's
5	check	to a verifier of the traveler's check; and
6		a receiver receiving an authorization to accept the traveler's check from
7	the ve	erifier.
8		
9	36.	The system of claim 35, further comprising:
10		an input device receiving the serial number and the face value of the
년 급1 급2 대	trave	ler's check.
መ ካ3 ጌ	37.	The system of claim 36, further comprising.
1 4		a display displaying the received authorization.
☐ 5 ☐ 16 ☐ 17 ☐ 17		
□16 ©16	38.	A method of authorizing the acceptance of a traveler's check, comprising
<mark>=</mark> 17	the st	eps of:
18		maintaining a database comprising serial numbers of traveler's checks sold
19	to bu	yers;
20		receiving from a merchant a request for authorization to accept a traveler's
21	check	k, the request for authorization including a serial number of the traveler's
22	checl	ς;
23		examining the database to determine whether the received serial number is
24	valid	; and

1		communicating authorization to accept the traveler's check to the
2	merc	hant, if the received serial number is valid.
3		
4 ·	39.	The method of claim 38, further comprising the steps of:
5		maintaining in the database a face value associated with each serial
6	numb	per; and
7		receiving from the merchant a face value of the traveler's check in
8	assoc	ciation with the serial number of the traveler's check.
9		
10	40.	The method of claim 38, further comprising the steps of:
10 11 12 13 14		receiving from a bank the authorized traveler's check for cashing; and
<u>=</u> 2		crediting the bank with the face value of the traveler's check.
1 3		λ
	41.	A system for authorizing the acceptance of a traveler's check, comprising:
남5 되6 日7		a database comprising serial numbers of traveler's checks sold to buyers;
급 급		a receiver receiving from a merchant a request for authorization to accept a
급 7	trave	ler's check, the request for authorization including a serial number of the
18	trave	ler's check;
19		a database access device examining the database to determine whether the
20	recei	ved serial number is valid; and
21		a transmitter transmitting an authorization to accept the traveler's check to
22	the n	nerchant, if the received serial number is valid.
23		
24	42.	The system of claim 41, wherein the database further comprises:

	afface value associated with each serial number.
43.	The system of claim 42, wherein the receiver further receives from the
merc	hant a face value of the traveler's check in association with the serial number
of the	e traveler's check.
44.	A method of generating valid traveler's checks, comprising the steps of:
	requesting a traveler's check of a selected face value from a traveler's
checl	c issuer;
	receiving validating information including a code from the traveler's check
issue	r;
	calculating, responsive to the received code, a serial number for the
trave	ler's check; and
	generating a traveler's check including information based on the received
valid	ating information.
45.	The method of claim 44, wherein the generating step comprises the steps
of:	
	calculating, responsive to the received validating information, a serial
	ber for the traveler's check; and
gene	rating the traveler's check with the serial number and the face value.
46.	The method of claim 44, further comprising the step of:
	establishing an account with the traveler's check issuer.
	of the 44. check issue. trave valid 45. of:

1	
2	47. The method of claim 44, wherein the requesting step includes the step of:
3	transmitting an account identifier to the traveler's check issuer.
4	
5	48. A method of issuing and clearing a bearer's note comprising the steps of:
6	receiving from a user information including
7	a user identifier, and
8	a face value of the bearer's note to be issued;
9	transmitting to the user at least one code for use in generating the bearer's
10	note;
는 다 1 다 1 다 2 다 3 다 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	maintaining a database comprising serial numbers of bearer's notes issued
= ====================================	to users;
4 3	receiving a request for authorization to accept a bearer's note, the request
4 14 €	for authorization including a serial number of the bearer's note;
년5 년	examining the database to determine whether the received serial number is
년5 日6 日7	valid; and
<u>무</u> 17	communicating authorization to accept the bearer's note to the merchant,
18	if the received serial number is valid.
19	
20	49. A system for issuing and clearing a bearer's note comprising:
21	a receiver receiving, from a user, information including a user identification
22	and a face value of the bearer's note to be issued;
23	a transmitter transmitting, to the user, at least one code for use in
24	generating the hearer's note:

1

bearer's note;

database comprising serial numbers of bearer's notes authorized for
issuance to users;
a receiver receiving from a merchant a request for authorization to accept a
bearer's note, the request for authorization including a serial number of the

a database access device examining the database to determine whether the received serial number is valid; and

a transmitter transmitting an authorization to accept the bearer's note to the merchant, if the received serial number is valid.